lambert&fils



CLIFF DOME

The Cliff Collection brings together the best of Lambert & fils Studio in its use of many signature elements. Natural brass and matte black rods provide structure for lamps with elegant shades and a range of spherical bulbs. The finishing and connection details complete this full collection of lamps, giving character and nuance to their robust, functional forms.

type: pendant

construction: powder coated aluminum

brass disc and hardware

polyester cord

specifications: source: LED lamp provided (G9 base)

power consumption: 2x 3.5W

lumen output: 638lm

colour temperature: 2700K included * 3000K available upon request colour rendering index: 80 CRI standard

* ≥ 90 CRI upon request expected lifetime: 25 000h


control: refer to our recommended list of dimmer models


cord length: 120" / 305 cm

weight: 13 lb / 5.8 kg

certifications: (() volts () IP20


warranty: 2 years






lambert&fils

ORDER GUIDE: SKU



^{*} hardware does not include disc or sockets which are always brass



FINISH





graphite



brass

black

NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
 please refer to maintenance sheet on website for cleaning instructions

lambert&fils

DIMMER SPECIFICATIONS

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.


DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

DIMMER LIST COMPATIBILITY FOR G9 LED BULBS - 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

^{*}Other dimmers can yield good results and we recommend conducting your own test before final installation.

EU ENERGY LABEL



Updated: June 2020