Silo 2




The Silo collection inhabits many worlds at once, creating a striking metaphor for duality. Mysterious yet inviting, the true magic lies in how its rhythmic curves shape light and space around it. Made using custom aluminium extrusions, the modular uplight-downlight creates a theatrical yet sleek composition


ТҮРЕ	Table		
CONSTRUCTION	Powder coated, mirror polished or tumbled aluminum body Polycarbonate lens Vinyl cord		
SPECIFICATIONS	Source: LED array integrated Power consumption: TBD		
	Colour temperature (CCT): Lamp is set to dim to warm mode (3000K to 2200K) Other CCT available index: +90 CRI		
CONTROL	100-240 VAC Plug-in Driver, cord dimmer		
CORD LENGTH	96"/ 244 cm provided cord dimmer positioned at 18'' / 46 cm from body		
WEIGHT	TBD		
CERTIFICATIONS	🐏 CE vons 🛆 IP20		
WARRANTY	2 years		

Spec Drawings

SILO 2TF



*dimensions are approximate and may vary slightly



- Additional charges for modifications or for special orders
- Please refer to maintenance sheet on our website for cleaning instructions

lambert&fils

CORD

BODY

3

Order Guide: SKU

		Example	Fill with your selection
COLLECTION	SIL Silo	SIL	SIL
MODEL	2T	2Т	2T
SHAPE	F	F	F
BODY	BKTextured blackWHTextured whiteMRMirror polished aluminumTATumbled aluminumBGTextured beigeDPWrinkled dusty pinkTCTextured terracottaAUTextured aubergineOBGlossy oxbloodMBTextured midnight blueCCCustom colour*	ВК	
CORD	BK Black	BK	ВК
FULL SKU		SIL2TFBKBK	

NOTES

*Custom colour available upon request. Material library on website.