## Silo 4




The Silo collection inhabits many worlds at once, creating a striking metaphor for duality. Mysterious yet inviting, the true magic lies in how its rhythmic curves shape light and space around it. Made using custom aluminium extrusions, the modular uplight-downlight creates a theatrical yet sleek composition


ТҮРЕ	Table		
CONSTRUCTION	Powder coated, mirror polished or tumbled aluminum body Polycarbonate lens Vinyl cord		
SPECIFICATIONS	Source: LED array integrated Power consumption: TBD		
	Colour temperature (CCT): Lamp is set to dim to warm mode (3000K to 2200K) other CCT available index: +90 CRI		
CONTROL	100-240 VAC Plug-in Driver, foot control dimmer		
CORD LENGTH	foot switch: 96"/ 244 cm provided switch positioned at 24"/ 61 cm from body		
WEIGHT	TBD		
CERTIFICATIONS			
WARRANTY	2 years		

## lambert&fils

## Spec Drawings



\*dimensions are approximate and may vary slightly



- Please refer to maintenance sheet on our website for cleaning instructions

BODY

## Order Guide: SKU

		Example	Fill with your selection
COLLECTION	<b>SIL</b> Silo	SIL	SIL
MODEL	4T	4T	4T
SHAPE	A	A	A
BODY	BKTextured blackWHTextured whiteMRMirror polished aluminumTATumbled aluminumBGTextured beigeDPWrinkled dusty pinkTCTextured terracottaAUTextured terracottaAUTextured aubergineOBGlossy oxbloodMBTextured midnight blueCCCustom colour*	ВК	
CORD	BK Black	BK	ВК
FULL SKU		SIL4TABKBK	

NOTES

\*Custom colour available upon request. Material library on website.